

PDshop .Net Installation Guide (For ASP.NET Editions)



PageDown Technology, LLC / Copyright 2003-2010 All Rights Reserved.

FOR USE WHEN INSTALLING:
PDshop .Net Original (Version 1)
PDshop .Net Standard (Version 6)
PDshop .Net Advanced (Version 7)
PDshop .Net Version 8 (Version 8)

SPECIAL NOTICE IF UPGRADING:

If you are already using another "ASP.NET" edition/version of PDshop, be sure to follow the "Update/Upgrade" installation steps, found on page 18.

Last Updated: 1/12/2010

Table of Contents

Table of Contents	2
New Installation (Microsoft Access)	4
Step 1 - Download & Extract the PDshop .Net Zip file	4
Step 2 - Determine Database Location	4
Step 3 - Edit your 'web.config' file	4
Step 4 - Rename your "admin" folder, and update the web.config (optional)	5
Step 5 - Change the default Encryption Password (optional)	5
Step 6 - Upload the Folders & Files	5
Step 7 - Check/Set Database & Folder Permissions	6
Testing PDshop	6
Initializing the Admin	6
Security Best Practices	6
New Installation (Microsoft SQL Server)	7
Step 1 - Download & Extract the PDshop .Net Zip file	7
Step 2 - Create a New/Blank Database	7
Step 3 - Edit your 'web.config' file	7
Step 4 - Rename your "admin" folder, and update the web.config (optional)	8
Step 5 - Change the default Encryption Password (optional)	8
Step 6 - Upload the Folders & Files	8
Step 7 - Formatting the MSSQL Database	8
Step 8 - Check/Set Folder Permissions	9
Testing PDshop	9
Initializing the Admin	9
Security Best Practices	9
Upgrade from "Classic ASP" (Microsoft Access)	10
Step 1 - Download & Extract the PDshop .Net Zip file	10
Step 2 - Determine Database Location	10
Step 3 - Edit the 'web.config' file	10
Step 4 - Rename the "admin" folder, and update the web.config (optional)	11
Step 5 - Check/Change the default Encryption Password (if necessary)	11
Step 6 - Remove/Rename Old Folders & .asp Files	11
Step 7 - Upload the New Folders & Files	11
Step 8 - Upgrading the Database	12
Step 9 - Check/Set Folder Permissions	12
Testing PDshop	13
Initializing the Admin	13
Security Best Practices	13
Upgrade from "Classic ASP" (Microsoft SQL Server)	14
Step 1 - Download & Extract the PDshop .Net Zip file	14
Step 2 - Determine Database Location	14
Step 3 - Edit the 'web.config' file	14
Step 4 - Rename the "admin" folder, and update the web.config (optional)	15
Step 5 - Check/Change the default Encryption Password (if necessary)	15
Step 6 - Remove/Rename Old Folders & .asp Files	15
Step 7 - Upload the New Folders & Files	15
Step 8 - Upgrading the Database	16
Step 9 - Check/Set Folder Permissions	16
Testing PDshop	16
Initializing the Admin	17
Security Best Practices	17
Update/Upgrade (Existing .Net Edition)	18
Step 1 - Download & Extract the PDshop .Net Zip file	18
Step 2 - Upload/Replace Files	18
Step 3 - Upgrading the Database	18
Testing PDshop	19
Initializing the Admin	19
Security Best Practices	19
Initializing the Admin	20
User Security	20
URL (Domain Name)	20
Activation	20
Development Mode	21
Editing the "web.config" Keys	22
Microsoft Access Database OLEDB Driver (Default - Recommended)	22
Microsoft Access Database with ODBC Driver	22
Microsoft Access DSN via an ODBC Driver	22
Microsoft SQL Server Database via SQL Client Connector (Recommended for MSSQL)	23
Microsoft SQL Express via SQL Client Connector (Recommended for MSSQL Express)	23
Microsoft SQL Server Database with OLEDB Driver	23
Microsoft SQL Server Database with ODBC Driver	23
MySQL Database with MyODBC Driver (NOT SUPPORTED)	23
Branding Developer/Reseller Settings	24
Other Settings	24
Troubleshooting (PDshop .Net Errors)	26

Upgrading or Installing an Update?.....	26
Compilation Error: Type 'PDshopNetFunctions' is not defined	26
web.config Exception: Missing Key	26
dbconn.open Exception: [some path or folders] is not a valid path	26
SaveData Exception: Operation must use an updateable query	26
OpenDataReader Exception: No value given for one or more required parameters.....	27
OpenDataReader Exception: The Microsoft Jet database engine cannot find the input table or query 'setup'	27
Object reference not set to an instance of an object	27
Browser Related Problems	27
Troubleshooting (Browser Problems)	28
Common Problems	28
Common Causes	28
Delete "Cookies"	28
Delete Temporary Internet Files	28
Disable Browser "Add-Ons"	29
Delete browsing "History".....	29
Reset all Internet Explorer Security & Privacy Settings.....	30
Disable 3rd party software	30
Update Internet Explorer (Go to Windows Update)	30
Top Security Tips (Best Practices)	31
1. Periodically check that your database is properly protected against unauthorized access.	31
2. Rename your "admin" and "data" directories to help protect against unauthorized access.....	31
3. Change your passwords often, and do not use the same username/password combinations more than once.....	31
4. Make sure your web host/server admin has properly protected your web server.....	31
5. Download and Install the latest revision of PDshop periodically.	31
6. Enable all 'Recommended Security Settings' in PAdmin.	32
Terms & Conditions	33

New Installation (Microsoft Access)

Upgrading? If you are upgrading or installing a free update, do not proceed, see the Upgrading Instructions.

Step 1 - Download & Extract the PDshop .Net Zip file

Download the zip file that contains the PDshop .Net scripts/files, ex."pdshopnet.zip". Save it to your computer, or web server. Using your Unzip program or Computer's built in Extract Tool, locate the file you just saved, and extract all files and folders contained within it to your computer. Make note of the location you are saving to.

Step 2 - Determine Database Location

PDshop .Net is database driven , so unlike HTML pages which never change, .aspx pages are dynamic, the content/text is stored in a database and each time the page is requested the script retrieves the appropriate data from the database. PDshop .Net comes with a preconfigured Microsoft Access database (compatible with MSAccess 2000/2003/XP).

First, locate the files you just extracted in Step 1. Find the "data" folder. In the database folder you will find the Access database file, for example "somefile.mdb". This is the database file you will be uploading shortly. If you are planning on uploading the database to your "web root", it is strongly recommended that you rename the "data" directory. Change the name of this folder to something only you would know. It should be noted that most web hosts provide a special database folder (that is not located in the web root). Take a moment and determine where you are going to upload the database file to (on your server). Make note of the location for the next step.

Step 3 - Edit your 'web.config' file

The "web.config" file is the standardized ASP.NET configuration file used to define a series of important constants. It will be used to tell PDshop .Net basic information such as where your database is and what driver to use when connecting to it, etc.

Locate the "web.config" file on your computer (it's one of the files you unzipped earlier in Step 1). Using Microsoft's "Notepad", usually found under "Program Files>Accessories", you can open this file and make changes. The first thing you will need to change in this file is the location (aka path) to the database. You must update the web.config file to reflect the location you choose or folder name you chose in Step 2. For convenience, PDshop .Net has some simple "keys" you can use to quickly specify the path (so you don't need to edit or write complex connection strings).

If you plan to upload the database folder into your web root, you can simply change the virtual path listed in the default "dbvirtualpath" key. For Example, look for this in your web.config file:

```
<add key="dbvirtualpath" value="../data/somefile.mdb" />
```

In that example, you would change "/data/" to whatever you named your data folder. If you renamed your data folder to "mydb", you would want to change the "value" as follows:

```
<add key="dbvirtualpath" value="../mydb/somefile.mdb" />
```

OTHER CONNECTION/DRIVER SCENARIOS:

If you plan on uploading the database into a location on your server that is not your "web root", such as a special folder your host provides that is only accessible by FTP, you can substitute the "dbvirtualpath" key with the "dbphysicalpath" key. Locate the "web.config_examples.txt" file on your computer (same location as the web.config). You will see this key (and others) that you can easily include in your web.config to connect with your database.

Simply modify, then copy, the appropriate key(s) into your web.config file (be sure to put your key(s) in the "appSettings" section of the web.config file). For example, remove the "dbvirtualpath" key from your web.config, then copy & paste the "dbphysicalpath" key, replacing the value in it with the physical location to your database folder (you may need to ask your host what the path is).

For example: `<add key="dbphysicalpath" value="C:\inetpub\wwwroot\data\somefile.mdb" />`
Both the the dbvirtualpath & dbphysicalpath keys will automatically connect to the database using the server's built-in OLEDB drivers. In some cases you may want or need to use a different driver, or connect using a DSN. In those cases, you can add additional keys to the web.config. See the Web.config Guide or the "web.config_examples.txt" file for more options & examples.

UNSURE HOW TO EDIT THIS FILE?

If you are using a web hosting service, your web host should provide some basic "path" information or sample connection strings, see their support pages for examples. If you are unsure how to edit the "web.config" file, PageDown Technology does offer an installation service. Let our team configure, and upload PDshop .Net to your web server (see our website for more details, <http://www.pagedowntech.com/shop/>)

Step 4 - Rename your "admin" folder, and update the web.config (optional)

It is recommended that you change the name of the "admin" folder. The admin folder is where PDAdmin, the web based administrator, is located. Locate the "admin" directory on your computer, and rename this folder to something else. Next, you will need to modify the "pdadminfolder" key in the web.config file.

Change the value of this key from the default "admin" to whatever you renamed your admin folder to. For example, if you renamed the admin folder to "myadmin" that key should look like:

```
<add key="pdadminfolder" value="myadmin" />
```

Step 5 - Change the default Encryption Password (optional)

The encryption code key in the web.config (called "cryptpass"), is the "password" used to encrypt and decrypt sensitive data that is stored in the PDshop .Net database. If you do not wish to use the default encryption code, you must change it before you begin using the online store, it cannot be changed once passwords, or credit card data has been stored in the database. This key must be kept short, less than 10 characters, or the performance of your server may be compromised.

Step 6 - Upload the Folders & Files

Now it's time to upload the PDshop .Net files and database to your web server.

Using your FTP software, login to your web server and navigate to the location you determined you will put your database (in Step 2). Find and upload the database file from your computer to your web server.

Next, navigate to your "web root" on your server, the primary folder on the server where your html/aspx files are loaded. For example, many web hosts name the web root folder "wwwroot" or "html" or "www" or "web", etc. Upload the remaining PDshop .Net files and folders to your server, be sure to keep the PDshop .Net files in their original folders (as they are on your computer). After uploading, your directory structure should look something like this:

The web.config and default.aspx file should be located at the web root: `

- /wwwroot/web.config
- /wwwroot/default.aspx

And the rest of the folders should appear like so:

- /wwwroot/youradmin/
- /wwwroot/bin/

/wwwroot/shop/
etc.

NOTES: if your FTP root and www root are the same, than you would not see the "wwwroot", and it would look like this:

web.config
default.aspx
/youradmin/
/bin/
/shop/

Step 7 - Check/Set Database & Folder Permissions

Using your web host's control panel, you will need to set or check the "permissions" (security settings) on your web server. If your web host does not provide these settings, you may need to contact them for these important security changes (this is a common request, your web host should have no problem with adjusting these settings for you).

Your database file must have at least "Write" permission, so that the server allows PDshop .Net to save/update the database. If you wish to use the PDshop .Net Image upload functions (for uploading images), you must also set "Write" permission on the "images" directory.

If you wish to use the export feature, you must create or upload the "export" folder and establish "Write" permissions.

Note: Always consult with your web host or server administrator before making any security related changes.

Testing PDshop

Using your web browser, navigate to the shop folder, for example you might type "http://www.yourdomain.com/shop/" into the address bar. Remember to substitute "yourdomain.com" with your actual domain name. Upon reaching the storefront, you should see the PDshop default home page. Next, search for an item (PDshop comes with a built in test item), click the "Buy Now" button while viewing an item to add it to your shopping cart. If the item is added to your shopping cart, than you have successfully installed PDshop. You are ready to proceed to the web based Administrator.

Initializing the Admin

Using Internet Explorer (version 5 or higher), navigate to where your Admin is located to begin the initial setup of your Admin. For example, you might type "http://www.yourdomain.com/admin/" into the address bar to reach your Admin. Remember to substitute "admin" in that URL with the name of your admin folder. Upon entering the Admin for the first time you will need to enter the URL/Domain Name, setup/create Admin Users, and finally Activate PDshop.

See the "Initializing the Admin" section of this Guide for detailed steps and more information.

If you receive an "PDshop Error" message, or are unable to see the storefront while trying to access the store or PDAdmin, see the "Troubleshooting" sections in this guide.

Security Best Practices

After you have successfully installed and activated your copy of PDshop, you should review the "Best Practices" security section in this guide.

New Installation (Microsoft SQL Server)

Upgrading? If you are upgrading or installing a free update, do not proceed, see the Upgrading Instructions.

Step 1 - Download & Extract the PDshop .Net Zip file

Download the zip file that contains the PDshop .Net scripts/files, ex."pdshopnet.zip". Save it to your computer, or web server. Using your Unzip program or Computer's built in Extract Tool, locate the file you just saved, and extract all files and folders contained within it to your computer. Make note of the location you are saving to.

Step 2 - Create a New/Blank Database

PDshop .Net is database driven , so unlike HTML pages which never change, .aspx pages are dynamic, the content/text is stored in a database and each time the page is requested the script retrieves the appropriate data from the database.

The first step is to create a new, completely blank, MSSQL database. Contact your web host or server administrator for this procedure. Creating a blank database can be done using your SQL "Enterprise Manager", or in many cases, your web hosts control panel. Take a moment and note (for the next step) the database Name, Server Location/IP, and Login details.

Step 3 - Edit your 'web.config' file

The "web.config" file is the configuration file used to define a series of important constants, it tells PDshop .Net basic information such as where your database is and what driver to use when connecting to it, etc.

Locate the "web.config" file on your computer (it's one of the files you unzipped earlier in Step 1). Using Microsoft's "Notepad", usually found under "Program Files>Accessories", you can open this file and make changes. The first thing you will need to do is remove the default "dbvirtualpath" key, and insert new keys that will define the database location. PDshop.net has 3 keys you will need to define, dbtype (MSAccess/MSSQL), dbconntype (which driver type), and dbconn (the connection string).

Here is an example of what you would need to add:

Using the Server's OLEDB Driver:

```
<add key="dbtype" value="MSSQL" />
<add key="dbconntype" value="OLEDB" />
<add key="dbconn" value="Provider=SQLOLEDB;Data Source=servername;Initial Catalog=database;User
Id=user;Password=password;" />
```

Using the Server's ODBC Driver:

```
<add key="dbtype" value="MSSQL" />
<add key="dbconntype" value="ODBC" />
<add key="dbconn" value="DRIVER={SQL
Server};SERVER=servername;UID=user;PWD=password;DATABASE=database" />
```

OTHER CONNECTION/DRIVER SCENARIOS:

In some cases you may want or need to use a different driver, or connect using a DSN. In those cases, you can add additional keys to the web.config. See the Web.config Guide for more options.

UNSURE HOW TO EDIT THIS FILE?

If you are using a web hosting service, your web host should provide some basic database information or sample connection strings, see their support pages for examples. If you are unsure how to edit the "web.config" file, PageDown Technology does offer an installation service. Let our team configure, and upload PDshop .Net to your web server (see our website for more details, <http://www.pagedowntech.com/shop/>)

Step 4 - Rename your "admin" folder, and update the web.config (optional)

It is recommended that you change the name of the "admin" folder. The admin folder is where PDAdmin, the web based administrator, is located. Locate the "admin" directory on your computer, and rename this folder to something else. Next, you will need to modify the "pdadminfolder" key in the web.config file.

Change the value of this key from the default "admin" to whatever you renamed your admin folder to. For example, if you renamed the admin folder to "myadmin" that key should look like:

```
<add key="pdadminfolder" value="myadmin" />
```

Step 5 - Change the default Encryption Password (optional)

The encryption code key in the web.config (called "cryptpass"), is the "password" used to encrypt and decrypt sensitive data that is stored in the PDshop .Net database. If you do not wish to use the default encryption code, you must change it before you begin using the online store, it cannot be changed once passwords, or credit card data has been stored in the database. This key must be kept short, less than 10 characters, or the performance of your server may be compromised.

Step 6 - Upload the Folders & Files

Now it's time to upload the PDshop .Net files to your web server.

Using your FTP software, login to your web server and navigate to your "web root" on your server, the primary folder on the server where your html/aspx files are loaded. For example, many web hosts name the web root folder "wwwroot" or "html" or "www" or "web", etc. Upload the PDshop .Net files and folders to your server, be sure to keep the PDshop .Net files in their original folders (as they are on your computer). After uploading, your directory structure should look something like this:

The web.config and default.aspx file should be located at the web root:

```
/wwwroot/web.config  
/wwwroot/default.aspx
```

And the rest of the folders should appear like so:

```
/wwwroot/youradmin/  
/wwwroot/bin/  
/wwwroot/shop/  
etc.
```

NOTES: if your FTP root and www root are the same, than you would not see the "wwwroot", and it would look like this:

```
web.config  
default.aspx  
/youradmin/  
/bin/  
/shop/
```

Step 7 - Formatting the MSSQL Database

Using your web browser, the next step is to run the database format procedure, which will add the necessary tables, columns (fields), and default data to your new database. Using your web browser,

navigate to the "dbsetup.aspx" page in your "admin" directory on your server. For example:
<http://www.yourdomainname.com/admin/dbsetup.aspx>.
(replace "admin" with then name of your admin folder)

Next, see the "Format/Upgrade Database" heading and click the "Begin Format" button. This procedure will not create the database, it will only add the tables, columns (fields), and default data. Make sure you have created a new/blank database first (see above).

Step 8 - Check/Set Folder Permissions

Using your web host's control panel, you will need to set or check the "permissions" (security settings) on your web server. If your web host does not provide these settings, you may need to contact them for these important security changes (this is a common request, your web host should have no problem with adjusting these settings for you).

If you wish to use the PDshop .Net Image upload functions (for uploading images), you must set "Write" permission on the "images" directory.

If you wish to use the export feature, you must create or upload the "export" folder and establish "Write" permissions.

Note: Always consult with your web host or server administrator before making any security related changes.

Testing PDshop

Using your web browser, navigate to the shop folder, for example you might type "<http://www.yourdomain.com/shop/>" into the address bar. Remember to substitute "yourdomain.com" with your actual domain name. Upon reaching the storefront, you should see the PDshop default home page. Next, search for an item (PDshop comes with a built in test item), click the "Buy Now" button while viewing an item to add it to your shopping cart. If the item is added to your shopping cart, than you have successfully installed PDshop. You are ready to proceed to the web based Administrator.

Initializing the Admin

Using Internet Explorer (version 5 or higher), navigate to where your Admin is located to begin the initial setup of your Admin. For example, you might type "<http://www.yourdomain.com/admin/>" into the address bar to reach your Admin. Remember to substitute "admin" in that URL with the name of your admin folder. Upon entering the Admin for the first time you will need to enter the URL/Domain Name, setup/create Admin Users, and finally Activate PDshop.

See the "Initializing the Admin" section of this Guide for detailed steps and more information.

If you receive an "PDshop Error" message, or are unable to see the storefront while trying to access the store or PAdmin, see the "Troubleshooting" sections in this guide.

Security Best Practices

After you have successfully installed and activated your copy of PDshop, you should review the "Best Practices" security section in this guide.

Upgrade from "Classic ASP" (Microsoft Access)

Guide for upgrading from PDshop Pro, Standard, Plus, or Advanced to a .NET Edition of PDshop.

This Guide is for use only when upgrading from an ASP version, such as PDshopPro, Standard, Plus, or Advanced.

Backup Existing site

Before uploading any PDshop .Net files, you must make a backup of your existing PDshop files and database. You can do this with your FTP software by downloading the old files to a safe location on your local computer. We highly recommend this! This way, if anything unforeseen happens, you can simply re-upload the original files and database. Our free technical support does not include data recovery or cover some severe problems encountered by an update/upgrade mishap.

Step 1 - Download & Extract the PDshop .Net Zip file

Download the zip file that contains the PDshop .Net scripts/files, ex."pdshopnet.zip". Save it to your computer, or web server. Using your Unzip program or Computer's built in Extract Tool, locate the file you just saved, and extract all files and folders contained within it to your computer. Make note of the location you are saving to.

Step 2 - Determine Database Location

Using your old "setup.asp" file (from your server's "includes" directory), make note of the location of your current PDshop database for the next step. You will need to copy the database name and/or path from your old setup.asp file to the new web.config file.

Step 3 - Edit the 'web.config' file

The "web.config" file is the standardized ASP.NET configuration file used to define a series of important constants. It will be used to tell PDshop .Net basic information such as where your database is and what driver to use when connecting to it, etc.

Locate the "web.config" file on your computer (it's one of the files you unzipped earlier in Step 1). Using Microsoft's "Notepad", usually found under "Program Files>Accessories", you can open this file and make changes. The first thing you will need to change in this file is the location (aka path) to the database. You must update the web.config file to reflect the location you choose or folder name you chose in Step 2. For convenience, PDshop .Net has some simple "keys" you can use to quickly specify the path (so you don't need to edit or write complex connection strings).

If you plan to upload the database folder into your web root, you can simply change the virtual path listed in the default "dbvirtualpath" key. For Example, look for this in your web.config file:

```
<add key="dbvirtualpath" value="../data/somefile.mdb" />
```

In that example, you would change "/data/" to whatever you named your data folder. If you renamed your data folder to "mydb", you would want to change the "value" as follows:

```
<add key="dbvirtualpath" value="../mydb/somefile.mdb" />
```

OTHER CONNECTION/DRIVER SCENARIOS:

If you plan on uploading the database into a location on your server that is not your "web root", such as a special folder your host provides that is only accessible by FTP, you can substitute the "dbvirtualpath" key with the "dbphysicalpath" key. Locate the "web.config_examples.txt" file on your computer (same

location as the web.config). You will see this key (and others) that you can easily include in your web.config to connect with your database.

Simply modify, then copy, the appropriate key(s) into your web.config file (be sure to put your key(s) in the "appSettings" section of the web.config file). For example, remove the "dbvirtualpath" key from your web.config, then copy & paste the "dbphysicalpath" key, replacing the value in it with the physical location to your database folder (you may need to ask your host what the path is).

For example: `<add key="dbphysicalpath" value="C:\inetpub\wwwroot\data\somefile.mdb" />`
Both the the dbvirtualpath & dbphysicalpath keys will automatically connect to the database using the server's built-in OLEDB drivers. In some cases you may want or need to use a different driver, or connect using a DSN. In those cases, you can add additional keys to the web.config. See the Web.config Guide or the "web.config_examples.txt" file for more options & examples.

UNSURE HOW TO EDIT THIS FILE?

If you are using a web hosting service, your web host should provide some basic "path" information or sample connection strings, see their support pages for examples. If you are unsure how to edit the "web.config" file, PageDown Technology does offer an installation service. Let our team configure, and upload PDshop .Net to your web server (see our website for more details, <http://www.pagedowntech.com/shop/>)

Step 4 - Rename the "admin" folder, and update the web.config (optional)

It is recommended that you change the name of the "admin" folder. The admin folder is where PDAdmin, the web based administrator, is located. Locate the "admin" directory on your computer, and rename this folder to something else. Next, you will need to modify the "pdadminfolder" key in the web.config file.

Change the value of this key from the default "admin" to whatever you renamed your admin folder to. For example, if you renamed the admin folder to "myadmin" that key should look like:

```
<add key="pdadminfolder" value="myadmin" />
```

Step 5 - Check/Change the default Encryption Password (if necessary)

Open your old "setup.asp" file and compare the "rc4code" variable with the encryption code key in the new web.config (called "cryptpass"). Make sure the value in the key is the same as your rc4code. If not, you will need to update the web.config with this new value.

Step 6 - Remove/Rename Old Folders & .asp Files

Using your FTP software, logon to your web server and locate your existing PDshop files & folders. Look for the "admin", "includes", and "shop" folders. For PDshop .Net to work correctly, you will first need to remove or rename the old PDshop folders. Either remove/delete, or temporarily rename the following folders: "admin", "includes", and "shop" to "old-admin", "old-includes", and "old-shop".

(After a successful .Net installation you should permanently remove the "old-" folders).

Step 7 - Upload the New Folders & Files

Now it's time to upload the PDshop .Net files to your web server.

DATABASE WARNING!!!

ALL PDshop .NET downloads include the default/blank Microsoft Access database file, it may have the same name as your old one! Do NOT upload the blank database (usually named "pdshoppro.mdb").

Using your FTP software, navigate to your "web root" on your server, the primary folder on the server where your html/asp files are loaded (where your old shop & admin folders were). Upload the PDshop

.Net files and folders to your server, be sure to keep the PDshop .Net files in their original folders (as they are on your computer). After uploading, your directory structure should look something like this:

The web.config and default.aspx file should be located at the web root:

```
/wwwroot/web.config  
/wwwroot/default.aspx
```

And the rest of the folders should appear like so:

```
/wwwroot/youradmin/  
/wwwroot/bin/  
/wwwroot/shop/  
etc.
```

FTP NOTES:

If your FTP root and www root are the same, than you would not see the "wwwroot", and it would look like this:

```
web.config  
default.aspx  
/youradmin/  
/bin/  
/shop/
```

BIN FOLDER NOTES:

If you have chosen to install PDshop in a subdirectory, for example, your admin is at <http://yoursite.com/somefolder/admin>, be sure you upload the "Bin" directory to the web root. Microsoft web servers will only recognize "Bin" directories if they located in the application root.

Step 8 - Upgrading the Database

Using your web browser, the next step is to run the database format procedure, which will add the necessary tables, columns (fields), and default data to your existing database. Using your web browser, navigate to the "dbsetup.aspx" page in your "admin" directory on your server. For example:

<http://www.yourdomainname.com/admin/dbsetup.aspx>.

(replace "admin" in this URL with the name of your admin folder)

See the "Format/Upgrade Database" heading and below it fill in your PDAdmin username & password, then click the "Begin Format" button.

PDshop "Standard" Edition Users:

If you are upgrading from the "Standard" Edition, you will also want to run the "Upgrade v2.0 Data" procedure which will adapt some of your existing data to the .Net format. This process updates/moves data into some of the new fields and tables, and must be run after the "Format/Upgrade". You **MUST** backup your database first before trying to run this procedure! Do not run this script more than once, as it may produce duplicate records in your database. Plus and Advanced users should NOT run this step.

Step 9 - Check/Set Folder Permissions

Using your web host's control panel, you will need to set or check the "permissions" (security settings) on your web server. If your web host does not provide these settings, you may need to contact them for these important security changes (this is a common request, your web host should have no problem with adjusting these settings for you).

If you wish to use the PDshop .Net Image upload functions (for uploading images), you must set "Write" permission on the "images" directory.

If you wish to use the export feature, you must create or upload the "export" folder and establish "Write" permissions.

Note: Always consult with your web host or server administrator before making any security related changes.

Testing PDshop

Using your web browser, navigate to the shop folder, for example you might type "http://www.yourdomain.com/shop/" into the address bar. Remember to substitute "yourdomain.com" with your actual domain name. Upon reaching the storefront, you should see the PDshop default home page. Next, search for an item (PDshop comes with a built in test item), click the "Buy Now" button while viewing an item to add it to your shopping cart. If the item is added to your shopping cart, than you have successfully installed PDshop. You are ready to proceed to the web based Administrator.

Initializing the Admin

Using Internet Explorer (version 5 or higher), navigate to where your Admin is located to begin the initial setup of your Admin. For example, you might type "http://www.yourdomain.com/admin/" into the address bar to reach your Admin. Remember to substitute "admin" in that URL with the name of your admin folder. Upon entering the Admin for the first time you will need to enter the URL/Domain Name, setup/create Admin Users, and finally Activate PDshop.

See the "Initializing the Admin" section of this Guide for detailed steps and more information.

If you receive an "PDshop Error" message, or are unable to see the storefront while trying to access the store or PAdmin, see the "Troubleshooting" sections in this guide.

Security Best Practices

After you have successfully installed and activated your copy of PDshop, you should review the "Best Practices" security section in this guide.

Upgrade from "Classic ASP" (Microsoft SQL Server)

Guide for upgrading from PDshop Pro, Standard, Plus, or Advanced to a .NET Edition of PDshop.

This Guide is for use only when upgrading from an ASP version of PDshop, such as PDshopPro, Standard, Plus, or Advanced.

Backup Existing site

Before uploading any PDshop .Net files, you must make a backup of your existing PDshop files and database. You can backup the PDshop files with your FTP software by downloading the old files to a safe location on your local computer. To backup your database you will need to contact your web host for their procedures. We highly recommend making backups, this way, if anything unforeseen happens, you can simply re-upload the original files and restore your database. Our free technical support does not include data recovery or cover some severe problems encountered by an update/upgrade mishap.

Step 1 - Download & Extract the PDshop .Net Zip file

Download the zip file that contains the PDshop .Net scripts/files, ex."pdshopnet.zip". Save it to your computer, or web server. Using your Unzip program or Computer's built in Extract Tool, locate the file you just saved, and extract all files and folders contained within it to your computer. Make note of the location you are saving to.

Step 2 - Determine Database Location

Using your old "setup.asp" file (from your server's "includes" directory), make note of the database driver used, database & server names, as well as Login details. You will need to copy the connection string (from the "dbconn" variable) from your old setup.asp file to the new web.config file.

Step 3 - Edit the 'web.config' file

The "web.config" file is the configuration file used to define a series of important constants, it tells PDshop .Net basic information such as where your database is and what driver to use when connecting to it, etc.

Locate the "web.config" file on your computer (it's one of the files you unzipped earlier in Step 1). Using Microsoft's "Notepad", usually found under "Program Files>Accessories", you can open this file and make changes. The first thing you will need to do is remove the default "dbvirtualpath" key, and insert new keys that will define the database location. PDshop.net has 3 keys you will need to define, dbtype (MSAccess/MSSQL), dbconntype (which driver type), and dbconn (the connection string).

Here is an example of what you would need to add:

Using the Server's OLEDB Driver:

```
<add key="dbtype" value="MSSQL" />
<add key="dbconntype" value="OLEDB" />
<add key="dbconn" value="Provider=SQLOLEDB;Data Source=servername;Initial Catalog=database;User
Id=sa;Password=password;" />
```

Using the Server's ODBC Driver:

```
<add key="dbtype" value="MSSQL" />
<add key="dbconntype" value="ODBC" />
<add key="dbconn" value="DRIVER={SQL
Server};SERVER=servername;UID=sa;PWD=password;DATABASE=database" />
OTHER CONNECTION/DRIVER SCENARIOS:
```

In some cases you may want or need to use a different driver, or connect using a DSN. In those cases, you can add additional keys to the web.config. See the Web.config Guide for more options.

UNSURE HOW TO EDIT THIS FILE?

If you are using a web hosting service, your web host should provide some basic database information or sample connection strings, see their support pages for examples. If you are unsure how to edit the "web.config" file, PageDown Technology does offer an installation service. Let our team configure, and upload PDshop .Net to your web server (see our website for more details, <http://www.pagedowntech.com/shop/>)

Step 4 - Rename the "admin" folder, and update the web.config (optional)

It is recommended that you change the name of the "admin" folder. The admin folder is where PDAdmin, the web based administrator, is located. Locate the "admin" directory on your computer, and rename this folder to something else. Next, you will need to modify the "pdadminfolder" key in the web.config file.

Change the value of this key from the default "admin" to whatever you renamed your admin folder to. For example, if you renamed the admin folder to "myadmin" that key should look like:

```
<add key="pdadminfolder" value="myadmin" />
```

Step 5 - Check/Change the default Encryption Password (if necessary)

Open your old "setup.asp" file and compare the "rc4code" variable with the encryption code key in the new web.config (called "cryptpass"). Make sure the value in the key is the same as your rc4code. If not, you will need to update the web.config with this new value.

Step 6 - Remove/Rename Old Folders & .asp Files

Using your FTP software, logon to your web server and locate your existing PDshop files & folders. Look for the "admin", "includes", and "shop" folders. For PDshop .Net to work correctly, you will first need to remove or rename the old PDshop folders. Either remove/delete, or temporarily rename the following folders: "admin", "includes", and "shop" to "old-admin", "old-includes", and "old-shop".

(After a successful .Net installation you should permanently remove the "old-" folders).

Step 7 - Upload the New Folders & Files

Now it's time to upload the PDshop .Net files to your web server.

Using your FTP software, navigate to your "web root" on your server, the primary folder on the server where your html/aspx files are loaded (where your old shop & admin folders were). Upload the PDshop .Net files and folders to your server, be sure to keep the PDshop .Net files in their original folders (as they are on your computer). You do not need to upload the default "data" folder, this is not used with MSSQL installations. After uploading, your directory structure should look something like this:

The web.config and default.aspx file should be located at the web root:

```
/wwwroot/web.config  
/wwwroot/default.aspx
```

And the rest of the folders should appear like so:

```
/wwwroot/youradmin/  
/wwwroot/bin/  
/wwwroot/shop/  
etc.
```

FTP NOTES:

If your FTP root and www root are the same, than you would not see the "wwwroot", and it would look like this:

```
web.config
default.aspx
/youradmin/
/bin/
/shop/
```

BIN FOLDER NOTES:

If you have chosen to install PDshop in a subdirectory, for example, your admin is at <http://yoursite.com/somefolder/admin>, be sure you upload the "Bin" directory to the web root. Microsoft web servers will only recognize "Bin" directories if they are located in the application root.

Step 8 - Upgrading the Database

Using your web browser, the next step is to run the database format procedure, which will add the necessary tables, columns (fields), and default data to your existing database. Using your web browser, navigate to the "dbsetup.aspx" page in your "admin" directory on your server. For example:

<http://www.yourdomainname.com/admin/dbsetup.aspx>.

(replace "admin" in this URL with the name of your admin folder)

See the "Format/Upgrade Database" heading and below it fill in your PDAdmin username & password, then click the "Begin Format" button.

PDshop "Standard" Edition Users:

If you are upgrading from the "Standard" Edition, you will also want to run the "Upgrade v2.0 Data" procedure which will adapt some of your existing data to the .Net format. This process updates/moves data into some of the new fields and tables, and must be run after the "Format/Upgrade". You **MUST** backup your database first before trying to run this procedure! Do not run this script more than once, as it may produce duplicate records in your database. "Plus" and "Advanced" edition users should **NOT** run this step.

Step 9 - Check/Set Folder Permissions

Using your web host's control panel, you will need to set or check the "permissions" (security settings) on your web server. If your web host does not provide these settings, you may need to contact them for these important security changes (this is a common request, your web host should have no problem with adjusting these settings for you).

If you wish to use the PDshop .Net Image upload functions (for uploading images), you must set "Write" permission on the "images" directory.

If you wish to use the export feature, you must create or upload the "export" folder and establish "Write" permissions.

Note: Always consult with your web host or server administrator before making any security related changes.

Testing PDshop

Using your web browser, navigate to the shop folder, for example you might type "<http://www.yourdomain.com/shop/>" into the address bar. Remember to substitute "yourdomain.com" with your actual domain name. Upon reaching the storefront, you should see the PDshop default home page. Next, search for an item (PDshop comes with a built in test item), click the "Buy Now" button while viewing an item to add it to your shopping cart. If the item is added to your shopping cart, than you have successfully installed PDshop. You are ready to proceed to the web based Administrator.

Initializing the Admin

Using Internet Explorer (version 5 or higher), navigate to where your Admin is located to begin the initial setup of your Admin. For example, you might type "http://www.yourdomain.com/admin/" into the address bar to reach your Admin. Remember to substitute "admin" in that URL with the name of your admin folder. Upon entering the Admin for the first time you will need to enter the URL/Domain Name, setup/create Admin Users, and finally Activate PDshop.

See the "Initializing the Admin" section of this Guide for detailed steps and more information.

If you receive an "PDshop Error" message, or are unable to see the storefront while trying to access the store or PAdmin, see the "Troubleshooting" sections in this guide.

Security Best Practices

After you have successfully installed and activated your copy of PDshop, you should review the "Best Practices" security section in this guide.

Update/Upgrade (Existing .Net Edition)

Guide for installing an Update, Revision, or Upgrade.

This Guide is for use only if you already have a .Net (ASP.NET) Edition already installed.

Backup Existing site

Before uploading any PDshop .Net files, you must make a backup of your existing PDshop files and database. You can do this with your FTP software by downloading the old files to a safe location on your local computer. We highly recommend this! This way, if anything unforeseen happens, you can simply re-upload the original files and database. Our free technical support does not include data recovery or cover some severe problems encountered by an update/upgrade mishap.

Microsoft SQL Server (MSSQL) Database users: you may need to contact your web host for their procedures on backing up your database.

Step 1 - Download & Extract the PDshop .Net Zip file

Download the zip file that contains the PDshop .Net scripts/files, ex. "pdshopnet.zip". Save it to your computer, or web server. Using your Unzip program or Computer's built in Extract Tool, locate the file you just saved, and extract all files and folders contained within it to your computer. Make note of the location you are saving to.

Step 2 - Upload/Replace Files

Now it's time to upload the PDshop .Net files to your web server.

DATABASE WARNING!!!

ALL PDshop .NET downloads include the default/blank Microsoft Access database file, it may have the same name as your old one! Do NOT upload the blank database.

Web.Config WARNING!!!

ALL PDshop .NET downloads include the default web.config. Do NOT upload the new file, you will be using your existing one.

Template Files WARNING!!!

ALL PDshop .NET downloads include the default HTML templates, named "template.htm", "template-sub1.htm", etc. If you have customized your templates already, Do NOT upload the new template files.

Using your FTP software, navigate to your existing PDshop folders on your server, locate your "bin", "shop", and "admin" folders. Upload the PDshop .Net files (that you extracted earlier in Step 1), into their corresponding folders on your server. Again, except for the "template" files, web.config, and database file, you would typically want to overwrite all the files in your "bin", "shop", and your admin directories.

Step 3 - Upgrading the Database

Using your web browser, the next step is to run the database format/upgrade procedure, which will add any new tables, columns (fields) to your database. Using your web browser, navigate to the "dbsetup.aspx" page in your "admin" directory on your server. For example:

<http://www.yourdomainname.com/admin/dbsetup.aspx>.

(replace "admin" in this URL with the name of your admin folder)

See the "Format/Upgrade Database" heading and below it fill in your PAdmin username & password, then click the "Begin Format" button.

Testing PDshop

Using your web browser, navigate to the shop folder, for example you might type "http://www.yourdomain.com/shop/" into the address bar. Remember to substitute "yourdomain.com" with your actual domain name. Upon reaching the storefront, you should see the PDshop default home page. Next, search for an item (PDshop comes with a built in test item), click the "Buy Now" button while viewing an item to add it to your shopping cart. If the item is added to your shopping cart, then you have successfully installed PDshop. You are ready to proceed to the web based Administrator.

Initializing the Admin

Using Internet Explorer (version 5 or higher), navigate to where your Admin is located to begin the initial setup of your Admin. For example, you might type "http://www.yourdomain.com/admin/" into the address bar to reach your Admin. Remember to substitute "admin" in that URL with the name of your admin folder. Upon entering the Admin for the first time you will need to enter the URL/Domain Name, setup/create Admin Users, and finally Activate PDshop.

See the "Initializing the Admin" section of this Guide for detailed steps and more information.

If you receive an "PDshop Error" message, or are unable to see the storefront while trying to access the store or PAdmin, see the "Troubleshooting" sections in this guide.

Security Best Practices

After you have successfully installed or updated your copy of PDshop, you should review the "Best Practices" security section in this guide.

Initializing the Admin

User Security

Upon entering the Admin for the first time, you may see a warning message stating that you have not set up any users. We recommend that you create at least one admin user right away. From the main Admin menu, choose User Security under Advanced section.

Press the "Add New User" button to create a new the Admin user.

Username

The user name should be unique to the User, this should be a single word with no spaces. For example, if your name is John Smith a good username would be "johnsmith" NOT "john".

Password

Be sure to create a password that is difficult for someone to guess, this must be a single word with no spaces. It is strongly recommended that you use unique password that you have not used elsewhere, for example do not use the same password that you have used with other logins for your web server.

User Level

There are two types of users, a Level 1 and Level 2. Level 1 users can access all areas in the Admin, whereas a Level 2 user is restricted and cannot access some "Settings" and "Advanced" areas.

URL (Domain Name)

Under Settings, see "Web Address" or "URL / SSL" to configure the domain name (URL).

URL

In the URL field you must enter your regular (non-SSL) URL. You need to enter the actual URL to where the shop is. For example, <http://www.yourdomainname.com/>

The URL you enter in this field must begin with "http://" and must end with "/". If you are still developing the shop, and have a dedicated IP Address you may enter an IP address, see "Development Mode" in this guide for more information.

SSL URL

See "SSL (Secure Pages)" section further in this documentation. Setting up an SSL is optional, and can be setup at a later time.

Test URL

It is strongly recommended that you Test the URLs before you save them. Using the 'Test' button located to the right of the field, you can see if you entered the correct URL. When pressed, a new window will open and you should see the words "Test Passed" in bold lettering. If you get a message such as "The resource cannot be found", than the URL you entered is incorrect. You will need to correct the entry and Test again before saving.

Activation

Once you have entered & tested the URL, you may need to activate PDshop. Before you activate, some Admin & Shop features will not work or will display a "demo mode" message.

NOTE: If you are not ready to activate, see the "Development Mode" below.

To Activate, you will need your PageDown Technology Account number & password. This is not to be confused with your Admin Login.

From the "Home" page in the Admin, click the "Activate" button to begin. After you enter your Account number and Password (the Account number that you received from PageDown Technology when you

purchased PDshop), the Admin will verify that you have a valid license and that license will be assigned to your URL/Domain. Because the license is based on your URL, you should not activate the shop until you have tested the URL you entered on the URL / SSL settings page.

NOTE: If you need to change the URL in the Admin, this will invalidate the license that you already obtained, and may require that you re-activate. We do NOT recommend changing the URL in the Admin once you have activated. If you do not see an "Activate" button than your shop has already been activated or is in Development Mode.

Development Mode

If you are not ready to activate, for example your site is not Live yet and you want to setup or test without activating it, there is a built in development mode. By changing the URL in the Admin's URL setup, you can trigger this mode.

The Admin will not require activation if the URL you use meets any of the following:

1. The URL is any IP address, for example "http://123.456.789.123/" (Version 8 Only)
2. The URL is a Local Area Network server or computer name, for example "http://servername/" or "http://computername/" or "http://localhost/"

NOTE: You may also want to turn on the "Store Closed" mode, so that that shop pages are not visible. Go to "Settings" then click "Checkout" to adjust the shop Access settings.

If you want to change or remove the "Powered by PDshop" messages that appear in the shop, see the "Branding Developer/Reseller" settings section in this Guide.

Editing the "web.config" Keys

Once you determine what type of database you will be using and where it located, or what driver you wish to use, enter the appropriate connection string, database & driver types into the "appSettings" section of your web.config file.

Below are examples of how you should format the application-wide constants. The keys below should be added to the <appSettings> section of your web.config file. You can only have one database connection in your web.config file, if you use the default web.config file be sure to comment out (or remove) the default database connection.

NOTE: the "system.web" section of the web.config should not be changed. It must contain the following:

```
<customErrors mode="Off"/>
<httpRuntime executionTimeout="90"/>
<compilation defaultLanguage="VB" debug="false" />
<pages buffer="true" enableViewState="true" enableSessionState="false" autoEventWireup="true" />
```

Microsoft Access Database OLEDB Driver (Default - Recommended)

Use:

```
<add key="dbvirtualpath" value="/data/somefile.mdb" />
```

OR Use:

```
<add key="dbphysicalpath" value="C:\inetpub\wwwroot\data\somefile.mdb" />
```

OR Use:

```
<add key="dbtype" value="MSACCESS" />
<add key="dbconntype" value="OLEDB" />
<add key="dbconn" value="Provider=Microsoft.Jet.OLEDB.4.0; Data
Source=C:\inetpub\wwwroot\data\somefile.mdb" />
```

Microsoft Access Database with ODBC Driver

```
<add key="dbtype" value="MSACCESS" />
<add key="dbconntype" value="ODBC" />
<add key="dbconn" value="Driver={Microsoft Access Driver (*.mdb)};
DBQ=C:\inetpub\wwwroot\data\somefile.mdb" />
```

Microsoft Access DSN via an ODBC Driver

```
<add key="dbtype" value="MSACCESS" />
<add key="dbconntype" value="ODBC" />
<add key="dbconn" value="DSN=yourdsn;Uid=youruserid;Pwd=password;" />
```

Microsoft SQL Server Database via SQL Client Connector (Recommended for MSSQL)

```
<add key="dbtype" value="MSSQL" />  
<add key="dbconntype" value="SQL" />  
<add key="dbconn" value="SERVER=servername;UID=youruserid;PWD=password;Initial  
Catalog=databasename" />
```

Microsoft SQL Express via SQL Client Connector (Recommended for MSSQL Express)

```
<add key="dbtype" value="MSSQL" />  
<add key="dbconntype" value="SQL" />  
<add key="dbconn"  
value="Server=localhost\SQLEXPRESS;Database=databasename;Uid=youruserid;Pwd=password;"/>
```

** Please note you may need to substitute "SQLEXPRESS" with your MSSQL instance name, contact the server administrator if you are not sure. If the SQL Server is not installed locally, you will also need to change "localhost" to the remote server's name/ip address.

Microsoft SQL Server Database with OLEDB Driver

```
<add key="dbtype" value="MSSQL" />  
<add key="dbconntype" value="OLEDB" />  
<add key="dbconn" value="Provider=SQLOLEDB;Data Source=servername;Initial Catalog=database;User  
Id=sa;Password=password;" />
```

Microsoft SQL Server Database with ODBC Driver

```
<add key="dbtype" value="MSSQL" />  
<add key="dbconntype" value="ODBC" />  
<add key="dbconn" value="DRIVER={SQL  
Server};SERVER=servername;UID=sa;PWD=password;DATABASE=database" />
```

MySQL Database with MyODBC Driver (NOT SUPPORTED)

```
<add key="dbtype" value="MYSQL" />  
<add key="dbconntype" value="ODBC" />  
<add key="dbconn" value="Driver={MySQL ODBC 3.51  
Driver};Server=localhost;Option=3;Database=database;User=userid;Password=password" />
```

MySQL Notice: MySQL is not the same as MSSQL. MySQL is an open source (free) database system, whereas MSSQL is built by Microsoft specifically for Windows servers. Because there are many different versions of MySQL, and there are known bugs (problems) with many versions of MySQL, PageDown Technology cannot provide any guarantee or support if you choose to use PDshop with MySQL. We strongly recommend that you use MSSQL (Microsoft's SQL Server), it is more robust, proven reliable, and supported.

Branding Developer/Reseller Settings

Branding Mode

In PDshop version 8, you can override our branding (the "Powered by" messages), and substitute your own, or remove them altogether. Using these special web.config Keys below.

```
<add key="devbrand" value="ON" />
<add key="devshoplogourl" value="http://your website name.com/images/logo.gif" />
<add key="devadminlogourl" value="http://your website name.com/images/logo.gif" />
<add key="devshoptext" value="Powered by Your Company, Inc" />
<add key="devadmintext" value="Powered by Your Company, Inc" />
<add key="devurl" value="http://your website name.com/" />
```

Other Settings

Encryption Password

Enter an encryption password, used to encrypt Credit Card Numbers and User Passwords
Remove Value if you do not wish to use encryption

```
<add key="cryptpass" value="password" />
```

If you are upgrading from a "Classic ASP" version, you should put your rc4code password in the value.

For example, if your setup.asp file had this:
rc4code="123456"

Then your web.config must have this:
<add key="cryptpass" value="123456" />

Enforce Secure Admin Connection

Some versions of PDshop allow you to force a secure connection to the Administrator. When enabled, you will only be able to login to your Administrator if you are connecting using an SSL (Secure Url), for example: "https://yoursite.com/admin"

Your web.config must contain this:
<add key="enforceadminssl" value="ON" />

Error Handling

Enter a Text message that will display when a PDshop error occurs. This will override PDshop's Error handling and prevent you from troubleshooting, but can provide an additional layer of security (as error messages can be exploited by hackers).

```
<add key="pdshoperrormessage" value="We're sorry, an error has occurred. This page is not available." />
```

Admin Folder

```
<add key="pdadminfolder" value="admin" />
```

Demo Mode

```
<add key="demomode" value="OFF" />
```

Culture/Globalization (optional, not recommended)

Enter an ASP.NET culture if you want to override the default culture/globalization setting set by your web server and PDshop. If you wish to disable PDshop's culture functions altogether (which may be required to resolve some formatting errors), enter "auto". We do not recommend changes to the culture, by design you should be able to display numbers, currency, and dates in any region by using the option available in PAdmin, see the "Formatting" setup page.

```
<add key="pdshopculture" value="en-US" />
```

If you receive a "Missing Key Exception" error when trying your shop for the first time, than you have an error in your web.config.

Troubleshooting (PDshop .Net Errors)

Upgrading or Installing an Update?

The most common mistakes when upgrading or installing an update are:

1. Not uploading all of the .aspx scripts in the zip file you downloaded. You should not mix & match script versions, when uploading be sure to overwrite all scripts on your web server with the new ones.
2. Not running any required database procedures, in most cases you will need to run the "Format/Upgrade Database" procedure (which upgrades your database tables & columns)

Make sure you following the correct Installation Guide.

Below are some common Error Messages & Solutions:

Compilation Error: Type 'PDshopNetFunctions' is not defined

This error usually indicates that you did upload the "Bin" folder to your web server, you did not upload it to your application/web "root", or the .dll files that belong in the folder are missing. Microsoft web servers require that you place your Bin folder (and it's DLL files) at the root of your web/application. For example, the top directory of your website, so they would be located at "yoursite.com/bin". Check the location of the PDshop .Net bin folder, make sure it contains the PDshopNet.dll file.

web.config Exception: Missing Key

The above error can occur if you have made an error while editing the web.config file. Go back over the Installation guides, you may not have provided enough information in the web.config file to establish a connection to your database.

dbconn.open Exception: [some path or folders] is not a valid path

Make sure that the path name is spelled correctly and that you are connected to the server on which the file resides

The above error can occur if you have made an error while editing the web.config file. The path you specified to your database (see the dbvirtualpath & dbphysicalpath keys) contain the wrong path or you have more than one path specified (if you added a key, you may not have commented or the old one).

SaveData Exception: Operation must use an updateable query

This error usually indicates that you did not set the appropriate permissions on the database, "somefile.mdb". You will need to change the security settings (a.k.a. permissions) on the web server on your database directory.

Using a hosting service?

Contact your web hosting service and request that they set your database permissions, or follow the instructions they provide for setting permissions.

Running your own server?

The security account used by the web server IIS service should have at least "Write" permissions on the database file (Note: You cannot set the permissions from within IIS, see below). To adjust the file permissions, you need to locate the file (will look like: "somefile.mdb") by using "My computer". Right

click on the file, click on "Properties". Next, click on "Security". There are several user/system accounts listed, you'll need to modify the permissions for the account that the IIS web service uses (if you don't know, you can always add the user "Everyone" and give it "Full Control"). NOTE: You cannot use the IIS console to change the file permissions, the Access settings in the IIS console are not the same as "File Permissions". The settings in IIS only control what web browsers/internet users have access to (not file security).

OpenDataReader Exception: No value given for one or more required parameters

Messages similar to this usually indicate that you did not run the database "Format/Upgrade" procedure, as described in the Installation or Upgrading Instructions. Using your web browser, un the database format/upgrade procedure, which will add any new tables, columns (fields) to your database. Using your web browser, navigate to the "dbsetup.aspx" page in your "admin" directory on your server. For example: <http://www.yourdomainname.com/admin/dbsetup.aspx>. (replace "admin" in this URL with the name of your admin folder)

OpenDataReader Exception: The Microsoft Jet database engine cannot find the input table or query 'setup'

Messages similar to this usually indicate that you did not run the database "Format/Upgrade" procedure, as described in the Installation or Upgrading Instructions. Using your web browser, un the database format/upgrade procedure, which will add any new tables, columns (fields) to your database. Using your web browser, navigate to the "dbsetup.aspx" page in your "admin" directory on your server. For example: <http://www.yourdomainname.com/admin/dbsetup.aspx>. (replace "admin" in this URL with the name of your admin folder)

Object reference not set to an instance of an object

This message can mean there is a very basic installation problem, you may have missed an important step, you should go back over the Installation guides again from the beginning. This may be an issue with your web.config file (it may be missing some basic information, such as the "system.web" keys), or some other issue related to how/where you uploaded the PDshop .Net files.

Browser Related Problems

If you experience problems client side, with your browser, see Browser Troubleshooting.

More Help

For additional help, see our Knowledgebase at www.pagedowntech.com/faq.

Troubleshooting (Browser Problems)

If you experience problems with your browser while working with PAdmin or PDshopPro, you may need to perform some routine housekeeping tasks as described below.

Common Problems

Pop-Up windows do not open.
HTML / Content Editor does not work correctly.
JavaScript Errors.
Shopping cart contents do not appear to save.

Common Causes

Some of the common client side problems are due to the following:

1. A corrupt browser cache (temporary internet files/cookies).
2. Internet Explorer Add-Ons are blocking some JavaScript or IFrame functions.
3. Incorrect Internet Explorer security settings.
4. 3rd party security, Privacy, Firewall, or other Internet related software.
5. JavaScript (a.k.a. Active Scripting) is disabled.
6. Cookies are disabled or being intercepted/blocked by security/privacy software.

Most issues can be resolved by following all of the steps outlined below:

Delete “Cookies”

Internet Explorer (version 5)

1. On the Tools menu, click Internet Options, and then click the General tab.
2. In the Temporary Internet Files section, click Settings.
3. Click View Files.
4. On the View menu, click Details.
5. Click the Internet Address column header, and then find the Internet addresses of the cookie files. For example, a cookie Internet address may be named similar to the following name:
Cookie:username@websitename.com
6. Click a cookie file, and then press DELETE. If you are prompted to confirm that you want to delete the file, click Yes. Repeat this step for each cookie file.

Internet Explorer (version 6)

1. On the Tools menu, click Internet Options, and then click the General tab.
2. In the Temporary Internet Files section, click Delete Cookies, click OK, and then click OK again.

Internet Explorer (version 7)

1. Open IE, click on Tools
2. Click on Delete Browsing History
3. Press the Delete Cookies button.

Delete Temporary Internet Files

Internet Explorer (version 5)

1. Open IE and click on Tools
2. Click on Internet Options
3. On the General Tab, in the middle of the screen, click on Delete Files

4. You may also want to check the box "Delete all offline content"
5. Click on OK and wait for the hourglass icon to stop after it deletes the temporary internet files

Internet Explorer (version 6)

1. Open IE and click on Tools
2. Click on Internet Options
3. On the General Tab, in the middle of the screen, click on Delete Files
4. You may also want to check the box "Delete all offline content"
5. Click on OK and wait for the hourglass icon to stop after it deletes the temporary internet files

Internet Explorer (version 7)

1. Open IE, click on Tools
2. Click on Delete Browsing History
3. Press the Delete Files button.

Disable Browser "Add-Ons"

Internet Explorer (version 5)

1. Close all instances of IE, click Start, point to Settings, and then click Control Panel.
2. Double-click Internet Options.
3. Click the Advanced tab.
4. Under Browsing, click to clear the Enable third-party browser extensions (requires restart) check box.
5. Restart IE.

Internet Explorer (version 6)

1. While IE is open, go to Tools > Internet Options > Programs Tab > Manage Add-ons.
2. Disable any 3rd party Add-On that may be interfering with normal operation. You may need to restart the browser for the changes to take affect.

Internet Explorer (version 7)

1. While IE is open, go to Tools > Manage Add-ons.
2. Disable any 3rd party Add-On that may be interfering with normal operation. You may need to restart the browser for the changes to take affect.

Delete browsing "History"

Internet Explorer (version 5)

1. Open IE and click on Tools
2. Click on Internet Options
3. On the General Tab, in the middle of the screen, click on Clear History
4. Click OK

Internet Explorer (version 6)

1. Open IE and click on Tools
2. Click on Internet Options
3. On the General Tab, in the middle of the screen, click on Clear History
4. Click OK

Internet Explorer (version 7)

1. Open IE, click on Tools
2. Click on Delete Browsing History
3. Press the Delete History button.

Reset all Internet Explorer Security & Privacy Settings

Reset ALL Security & Privacy settings to their original settings; use the set to "defaults" buttons where possible. Most browser related problems can be resolved by returning your settings to their defaults.

Disable 3rd party software

Turn off script filters/blocking, Pop-UP/Virus/Firewall software, or any other internet related software. Norton's Script Blocking Service, Norton's Internet Security software, and Zone Labs Zone Alarm Security software, are among many, that if not configured correctly, can interfere with or block some basic JavaScript & "Iframe" functions (which are an integral part IE)

Update Internet Explorer (Go to Windows Update)

Make sure you have updated IE with all the latest patches & service packs from Microsoft. Go to "Windows Update" and download and install the latest IE Service Pack.

Top Security Tips (Best Practices)

1. Periodically check that your database is properly protected against unauthorized access.

If you installed PDshop with the default Microsoft Access database, make sure it is impossible for someone (other than you) to download/access your database file. Your database directory should be configured with special permissions (a.k.a. Security) in such a way that PDshop & PDAAdmin can read/write to the database, but no one else can see or download it. We recommend that your database be kept in a special directory that is only accessible by FTP. Consult with your web host or server administrator for their procedures and suggestions for securing database directories.

IMPORTANT: We strongly recommend that you rename your database file. You should use a unique name that only you would know. For example, do not leave your database with a name like "pdshoppro.mdb". You will need to update your setup.asp (or web.config) file accordingly.

2. Rename your "admin" and "data" directories to help protect against unauthorized access.

Since these directory names are common knowledge, as an added level of security we suggest that you rename these directories to something only you would know. You will need to update your setup.asp (or web.config) file accordingly.

3. Change your passwords often, and do not use the same username/password combinations more than once.

Change your password at regular intervals and make sure your PDAAdmin username/password is not the same as your FTP, hosting account, or server control panel logins. This can be devastating if your password is ever found or discovered thru some of the various hacking techniques.

4. Make sure your web host/server admin has properly protected your web server.

A web server with poor firewall protection, or insufficient settings, or an "unpatched" operating system, can make your website vulnerable to many internet threats, including unauthorized access, malicious attacks, and virus infection.

5. Download and Install the latest revision of PDshop periodically.

Our developers are always improving how PDshop works, for this reason revisions to each edition of PDshop are released from time to time. These revisions/updates are full versions that often contain improvements, bug fixes, critical security updates, and even new features. To download the latest revision, login to your account and click 'Your Downloads'. See the Upgrading & Installation Guides for help with installation or upgrading procedures. If you need assistance with installing these revisions/updates, contact PageDown Technology. NOTE: If you are using a customized version of PDshop or made your own script changes, consult with your web developer or PageDown Tech. before installing any revisions.

6. Enable all 'Recommended Security Settings' in PAdmin.

Since you may be hosting PDshop on a public or shared web server, as a general precaution, we do not recommend storing sensitive credit card information in your PDshop database. If you are processing credit cards, you should do so thru one of the payment gateways that PDshop supports. When processing thru the supported payment gateways, PDshop does not need to store any credit card information, it is securely passed to the payment gateway's own system for processing. Storing credit card data on your own web site can put your customer's information at higher risk. See PAdmin 'Help' for more information on these settings.

Special Notes:

If your copy of PDshop was installed by a 3rd party, or by PageDown Technology, you may need to contact the person or company who handled your installation, or order the "Installation Service" from PageDown Technology. To order our Installation Service, please login to your account. Click on "My Account" from anywhere on the PageDown Technology website.

Terms & Conditions

This guide is intended for licensed users of PDshop only.

See the Terms & Conditions for PDshop on the PageDown Technology website, see <http://www.pagedowntech.com/terms>.

Additional Support and Information about this product can be found on PageDown Technology's website, <http://www.pagedowntech.com>.

Copyright Notice:

All Text and Images contained on this document is the property of PageDown Technology, LLC (pagedowntech.com) and cannot be reproduced, copied, or used without our written permission.

PageDown Technology, LLC / Copyright 2003-2010 All Rights Reserved